

5 55 325 5

balance Beginner's Walk



Age indi-
cation



Fitness



Balance



Social
skills



Senses

Scope of delivery

balance Walk beginners combination consisting of:

1x wind break Cross Over: softwood

1x Quick Step criss-cross: softwood


1x balancing trainer Disco Fox: softwood

3x Step 40: softwood


3x Step 60: softwood

15x post shoe: galvanised steel

2x spring: steel



balance Beginner's Walk



Technical data

	Material	SW pi
	Minimum space	9,00x8,00x2,39 m
	Impact protection net	-
	Free falling height	59 cm
	Ground constitution GE/NL/B	at least stone
	Ground constitution all except GE/NL/B	at least stone
	Largest section	400xØ 16 cm
	Heaviest section	60 kg
	mx. number of users	32
	Certificate	-
	Tested according to standard	-

Installation information

	Foundations	13x CF + 2x 5632280 or 8x CF + 5x PFs + 2x 5632280
	Fundamentlevel	ET 400
	Assembly	2 persons/8 h
	PF Accessories	5x 5632540
	PF drainage	0,12 m³
	PF concrete	0,45 m³
	PF excavation	1,76 m³
	CF Accessories	-
	CF drainage	0,12 m³
	CF concrete	0,69 m³
	CF excavation	1,55 m³



5 55 325 5

balance Beginner's Walk



CO₂ emissions of the product

771,8 kg


**Material share of
renewable raw materials**

70%

Recyclate content

28%

Circularity score



**Weighted emission factor
of the product***



Disclaimer:

This dashboard for the circularity index of the 'Circular Product' certification was generated automatically and is based on the corresponding certification of eibe Produktion + Vertrieb GmbH & Co KG, Industriestraße 1, 97285 Röttingen, which was issued on 16 May 2024 by the Gesellschaft für Klimaschutz München GmbH (GKM GmbH) on the basis of the example product Albion play unit from the eibe unique® product line. eibe Produktion + Vertrieb GmbH & Co KG is liable for the accuracy of the contents. The award criteria of the private-law certification 'Circular Product' of GKM GmbH can be viewed at gesellschaft-klimaschutz.de/zertifizierung/zirkularitaet/.

* The CO₂e emissions of the materials used in the product are taken into account. The emissions that arise during the production process are allocated to the product on a pro-rata basis.

created on: 14 August 2024